

BVMS Plus 12.2



BVMS Plus is a unique IP video security solution that provides seamless management of digital video, audio, and data across any IP network. It provides the best video management system to go with Bosch video surveillance devices, leveraging the unique capabilities of Bosch cameras and recording solutions. It nevertheless offers interfaces and standards to integrate other systems and manufacturers.

The software is provided as an e-license via e-mail.

Regulatory information

General Data Protection Regulation

The General Data Protection Regulation (GDPR) is enforced on the 25th of May 2018. As a regulation it will be directly applicable to all EU member states without the need for national implementing legislation. As information captured, processed and stored by video surveillance systems is classified as "sensitive" the GDPR will cause significant impact on the video surveillance installations throughout Europe.

BVMS includes the required functionality to ensure an organization can be GDPR compliant.

- Flexible deployment choose between costeffective appliances or a software-only deployment.
- Embedded resilience keep operations up and running even when multiple system components fail.
- Bosch video at its best the best userexperience combining Bosch cameras with BVMS.
- Integration integrate third-party cameras, storage and further systems into BVMS.
- IT environments and data security benefit from full IT compatibility from installation to day-to-day management in a secure way.

Installation/configuration notes

Disclaimer

This software is not designed, intended, or authorized for use in any type of system or application in which the failure of the software could lead to a risk to health and safety. The user is responsible to verify that the software and its specified functionalities are suitable for the intended application, in particular with respect to accuracy, safety, and security.

The BVMS system design guide is published on the following website:

Bosch Building Technologies Knowledge Base. The system design guide summarizes the BVMS design details, and serves as a guide to planning a BVMS system with Bosch cameras and storage. It focuses on BVMS combined with the VRM.

To get started, read the following article on the Bosch Security & Safety community website: <u>BVMS - Quick start overview</u>

BVMS Enterprise

Multiple BVMS Lite, Plus, Professional or DIVAR IP systems can be combined into one BVMS Enterprise System.

Cameras within system context	200000
Cameras per operator	10000
Sub-systems	Between 10 sub-systems with 1000 cameras per system or 100 sub-sys- tems with 100 cameras per system.

Software assurance

The complexity of security systems has increased significantly over the last couple of years. At the same time, you are still relying on your system to mitigate security risks. With Bosch Software Assurance, you can relax knowing you can always approach us for help to ensure your system keeps on running. You can find the terms and conditions of Bosch Software Assurance on the following website: <u>About Bosch Software Assurance</u>

Technical specifications

The release notes give a detailed overview on the changes that are implemented, compared to the previous BVMS version.

The architects and engineering specifications specify in detail what the system is capable of.

Both documents can be found on the following web page:

Bosch Building Technologies Knowledge Base

System limits

(i) Notice

The system limits are based on the hardware recommendations.

Maximum number of workstations	20
Maximum number of cameras	256
Maximum number of live and play- back sites	10
Maximum number of intrusion pan- els	10
Maximum number of DVRs	10
Maximum number of VRMs	2
Maximum number of sustained events (logbook) / sec	500
Maximum number of sustained events (without logbook) / sec	2500
Maximum peak event load / sec (within 60 minutes)	5000
Maximum number of events / sec from ONVIF cameras	500

Logbook size 4GB

(i) Notice

The logbook size can be increased by upgrading the Microsoft SQL Server Express edition included in the BVMS installation package.

Languages

Component	Languages
Quick installation guide	English, French, German, Simplified Chinese and Spanish
Configuration manual	English, German, Dutch, Italian, Por- tuguese, Finnish, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Pol- ish, Swedish, Latvian, Lithuanian, Turkish and Korean
Operation manual	English, German, Dutch, Italian, Por- tuguese, Finnish, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Pol- ish, Swedish, Latvian, Lithuanian, Turkish and Korean
Software	English, German, Dutch, Italian, Por- tuguese, French, Spanish, Simplified Chinese, Traditional Chinese, Rus- sian, Hungarian, Japanese, Czech, Danish, Finnish, Greek, Norwegian, Polish, Swedish, Thai, Turkish, Korean, Arabic, Ukrainian and Viet- namese

Hardware recommendations

Cameras

All Bosch cameras can be used under the device compatibility concept, which you can find on the Bosch Security and Safety Community in the following article:

How-to: BVMS - Device compatibility

BVMS is an ONVIF Profile S certified video management system.

Management Server, Video Streaming Gateway, Video Recording Manager, and Mobile Video Service

It is recommended to run the Video Recording Manager and the BVMS Management Server on the same computer. The recommended specifications for BVMS Plus are based on the Bosch DIVAR IP AiO 7000.

Item	Description
Operating System	Windows Server 2016 (64-bit)
	Windows Server 2019 (64-bit)
	Windows Server 2022 (64-bit)
	Windows 10 Professional (64-bit) (22H2)*
	Windows 10 Enterprise LTSC 2021*
	Windows 11 Pro (64-bit) (23H2)*
CPU	Intel Xeon E3-1275 V3 (3.5 GHz,4- core)
RAM	8GB
Free disk space	30GB (+ 15% of the hard-drive after in- stallation)
Network	1 Gigabit/s network interface card

* Windows 10 and Windows 11 are not supported for the Video Recording Manager.

Operator Client

ltem	Description
Operating System	Windows 10 Professional (64-bit) (22H2)
	Windows 10 Enterprise LTSC 2021
	Windows 11 Pro (64-bit) (23H2)
CPU	Intel Xeon W-2123 (3.6 GHz)
RAM	8GB
Free disk space	Minimum 10GB for Single Site Systems
	Minimum 15GB for Enterprise Systems
Network	1 Gigabit/s network interface card
Display resolution	Minimum: 1280 x 1024
	Maximum: 3840 x 2160
Graphic card	Nvidia Quadro P620
	Nvidia Quadro P2000
	Nvidia Quadro P4000
	Nvidia Quadro RTX A2000
	Nvidia Quadro RTX 4000
	Nvidia Quadro P2200
	Nvidia Quadro T600
	Nvidia Quadro T1000

Intel HD Graphics 630

Network

To achieve the performance listed in the table below, a 1 Gigabit/s network is a minimum requirement between the Operator Client and Management Server.

(Unicast) Maximum number of workstations simultaneously viewing the same camera	5
(Multicast) Maximum number of workstations simultaneously viewing the same camera	100
Event response time (assuming suffi- cient network performance consid- ering bandwidth and delay)	< 1 second
Alarm visibility time (assuming suffi- cient network performance consid- ering bandwidth and delay), includ- ing 1 live image pane, 1 instant play- back image page, and 1 map image pane.	< 2 seconds

(i) Notice

When the system does not have enough network resources, or is experiencing a temporary decrease in network performance, the event response time and alarm visibility time may increase.

(i) Notice

The list of communication channels and required network ports can be found in the BVMS Configuration manual.

Storage devices

The storage quick selection guide, which also includes non-Bosch storage devices, can be found on:

http://www.boschsecurity.com/bvms

Device	Series
Bosch DIVAR IP	2000, 3000, 5000, 6000, 7000
Bosch DIVAR IP AiO	4000, 5000, 6000, 7000
Bosch DSA E-Series	2300, 2400, 2500, 2600, 2700,
	2800
Bosch DIVAR AN	3000, 5000
Bosch DIVAR network	2000, 3000, 5000
Bosch DIVAR hybrid	3000, 5000

Other hardware

Туре	Device	Remarks
Decoder	Bosch VIDEOJET de-	n/a
	coder 3000	

4	I	5

1

Туре	Device	Remarks	Туре	Device	Remarks
Decoder	Bosch VIDEOJET de- coder 7000	n/a		Tattile Vega 11 Tattile Vega 33	
Decoder	Bosch VIDEOJET de- coder 8000	Supports displaying of 4K cameras	Ordering information		
Decoder	Bosch VIDEOJET de- coder 7513	n/a	MBV-BPLU License Plus base Includes 8 camera/decoder expansions, 5 workstatic expansions, 8 failover recording channels, 8 dual- recording channels, 5 keyboard expansions, 1 DVR, 1 intrusion panel, 1 live and playback site, and ATM/PC allegiant and OPC functionality. Order number MBV-BPLU MBV-XCHANPLU License Camera/decoder expansio		
Decoder	Bosch VIDEOJET de- coder 7523	n/a			
oyer card reader	MINITER 485	n/a			
Serial input	Werner Electronic DTP3N	n/a			
ntrusion panel	Bosch G-series B9512G 3.03.14,	Automation Device in the intrusion panels	Expansion l	icense for 1 encoder/ xact number required	decoder channel.
	Bosch B5812G 3.03.14,	must be configured as Mode 2		oer MBV-XCHANPLU PLU License Worksta	tion expansion
	Bosch B5512 Expansion lie 2 02 14 workstation		Pansion license for 1 workstation (each extra Restation requires 1 license). Ier number MBV-XWSTPLU		
	Bosch B4512 3.03.14,			PLU License online n icense for online map	
	Bosch B3512			ber MBV-FMAPPLU	
	3.03.14,			PLU License Map-bas icense for Map-based	_
ntrusion panel	Bosch B6512 3.03.14 Bosch D9412GV4	Microsoft Windows	•	per MBV-FOBJPLU	tracking assistant.
iti usion panei	2.03.018,	Patch 3155464 should not be installed	MBV-XDUR expansion	PLU License Camera	dual recording
	Bosch D7412GV4 2.03.018		Expansion license for 1 encoder channel used for dua recording.		
Ionitor wall	Barco Transform N series	RCPPlus agent 0.9.5.0	Order number MBV-XDURPLU		
Analog matrix switch	Bosch Allegiant Series	Firmware 8.75 or later, Master control soft- ware 2.94	MBV-XDVRPLU License DVR expansion Expansion license for 1 DVR. Order the exact nur required. Order number MBV-XDVRPLU		
ATM/POS Bridge	Bosch ATM/POS Bridge	Version 1.10.00.12	MBV-XFOVPLU License VRM Failover channel		
Keyboard	Bosch KBD-Universal XF	USB	Expansion license for 1 encoder channel used Failover VRM. Order number MBV-XFOVPLU		
leyboard	Bosch Intuikey	Serial, firmware 1.96		LU License Intrusion	panel expansion
Digital I/O	Advantech ADAM-6050,	n/a	Expansion l	icense to integrate in per MBV-XINTPLU	• •
	Advantech ADAM-6052,		Expansion l	PLU License Keyboar icense for 1 CCTV key	
Advantech ADAM-6060,		Order numb	er required. ber MBV-XKBDPLU		
	Advantech ADAM-6066		Expansion l exact numb	PLU License LPR cam icense for 1 (Tattile) er required.	•
JSB to serial	Belkin serial adapter	n/a		ber MBV-XLPRPLU	
Ethernet to serial	F5U103VEA Comtrol DeviceMaster RTS 4-port	n/a	expansion	•	
PR camera	Tattile Vega Basic	n/a	Expansion license for 1 Mobile Video Ser Order number MBV-XMVSPLU		
. rroumoru	Tattile Vega Smart	η α			
	Tattile Vega1				

MBV-XSITEPLU License Unmanaged site expansion Expansion license for 1 site. Order the exact number required.

Order number MBV-XSITEPLU

MBV-XSUBPLU License Subsystem expansion

Expansion license for 1 subsystem. Order the exact number required.

Order number MBV-XSUBPLU

MBV-FPRIPLU License Privacy overlay Expansion license for Privacy overlay.

Order number MBV-FPRIPLU

Software Options

MBV-MPLU SMA license for MBV-BPLU, 1 year

1 year of maintenance cover for the Plus Edition base license.

Order number MBV-MPLU

MBV-MCHANPLU SMA license for MBV-XCHANPLU, 1 year

1 year of maintenance cover for the Plus Edition camera/decoder expansion license. Order number MBV-MCHANPLU

MBV-MWSTPLU SMA license for MBV-XWSTPLU, 1 vear

1 year of maintenance cover for the Plus Edition workstation expansion license. Order number MBV-MWSTPLU

MBV-MOBJPLU SMA license for MBV-FOBJPLU, 1

vear

One year of maintenance cover for the Map-based tracking assistant license.

Order number MBV-MOBJPLU

MBV-MMAPPLU SMA license for MBV-FMAPPLU, 1 year

One year of maintenance cover for an online map functionality license.

Order number MBV-MMAPPLU

MBV-MPLU-DIP SMA license for MBV-BPLU-DIP, 1 year

One year of maintenance cover for the BVMS license for DIVAR IP all-in-one 6000 and DIVAR IP all-in-one 7000. Order number MBV-MPLU-DIP

MBV-MDVRPLU SMA license for MBV-XDVRPLU, 1 vear

1 year of maintenance cover for the Plus Edition DVR expansion license.

Order number MBV-MDVRPLU

MBV-MKBDPLU SMA license for MBV-XKBDPLU, 1 year

1 year of maintenance cover for the Plus Edition keyboard expansion license. Order number MBV-MKBDPLU

Represented by:

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands www.boschsecurity.com/xc/en/contact/ www.boschsecurity.com

Germany: Bosch Sicherheitssysteme GmbH Robert-Bosch-Platz 1 D-70839 Gerlingen www.boschsecurity.com

Data subject to change without notice | 202405061540 | V2 | May 06. 2024

MBV-MMVSPLU SMA license for MBV-XMVSPLU, 1 vear

1 year of maintenance cover for the Plus Edition Mobile Video Service expansion license. Order number MBV-MMVSPLU

MBV-MFOVPLU SMA license for MBV-XFOVPLU, 1 vear

1 year of maintenance cover for the Plus Edition Failover VRM expansion license. Order number MBV-MFOVPLU

MBV-MDURPLU SMA license for MBV-XDURPLU, 1 year

1 year of maintenance cover for the Plus Edition Dual Recording VRM expansion license. Order number MBV-MDURPLU

MBV-MINTPLU SMA license for MBV-XINTPLU, 1 year One year of maintenance cover for the BVMS Plus

Intrusion panel expansion license.

Order number MBV-MINTPLU

MBV-MSITEPLU SMA license for MBV-XSITEPLU, 1 year

One year of maintenance cover for the site expansion license.

Order number MBV-MSITEPLU

MBV-MSUBPLU SMA license for MBV-XSUBPLU, 1 vear

One year of maintenance cover for an Enterprise Subsystem expansion license.

Order number MBV-MSUBPLU

MBV-MLPRPLU SMA license for MBV-XLPRPLU, 1 year 1 year of maintenance cover for the (Tattile) LPR camera expansion license.

Order number MBV-MLPRPLU

MBV-MPRIPLU SMA license for MBV-FPRIPLU, 1 vear One year of maintenance cover for a Privacy overlay license.

Order number MBV-MPRIPLU

orth America

Bosch Security Systems, LLC 130 Perinton Parkway Fairport, New York, 14450, USA www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security Systems 11 Bishan Street 21 Singapore 573943 www.boschsecurity.com/xc/en/contact/ www.boschsecurity.co